Python Built-In Functions

Math & Logic

Boolean	Base System
all() any() bool()	bin() oct() hex()

Constructors	Calculation	
complex() float() int()	abs() divmod() hash()	pow() round() sum()

Built-In Data Structures

Iteration		Operations	
slice() enumerate() iter()	range() next()	filter()/map() max()/min() sorted()	len() reversed() zip()

Constructors		String	
dict() set() tuple()	list() frozenset()	str() chr()/ord() print()	format() ascii() repr()

Objects & Variables

Inheritance		Attributes	
isinstance() any() bool()	issubclass()	hasattr() setattr() hex()	getattr() delattr() id()

Constructors	
dir() var() globals()	locals()

Meta

I/O	Bytes
open() input() __import__()	bytes() bytearray() memoryview()

Code	Decorators
eval() exec() compile()	property() classmethod() staticmethod()

Python String Methods

Formatting

Capitalization		Whitespace	
upper()		center()	expandtabs()
lower()		ljust()/rjust()	zfill()
title()		strip()/lstrip()/rstrip()	
Tests		**Encoding**	
isupper()	isspace()	encode()	translate()
islower()		decode()	
istitle()		maketrans()	

Contents

Manipulation		Analyze	
join()	replace()	count()	startswith()
partition()	split()	find()	endswith()
splitlines()	format()	index()	
Tests			
isalpha()	isalnum()		
isnumeric()			
isdigit()			

Python Dictionary Methods

Non-mutating

Fetch	Classmethod
get()	fromkeys()

Views	
keys() values() items()	

Mutating

Write	Clear
update() setdefault()	clear()

Pop	
pop() popitem()	

Python Set Methods

Non-mutating

Return Boolean	Return Set
isdisjoint() issubset() AKA <= issuperset() AKA >=	union() AKA | intersection() AKA & difference() AKA - symmetric_difference() AKA ^ copy()

Mutating (doesn't apply to frozen set)

Update	Clear
update() AKA |= intersection_update() AKA &= difference_update() AKA -= symmetric_difference_update()	add() remove() discard() pop() clear()

Python List Methods

Addition	Subtraction
insert() append() extend()	clear() pop() remove()

Sorting	Duplication
sort() reverse()	copy()

Search
index() count()